

1952

TOTAL ESTIMATED FIRE LOSS: \$ 267,117

472 ALARMS OF FIRE, AS FOLLOWS:

- 349 STILL ALARMS
- 26 A. D. T. ALARMS
- 6 AUTOMATIC ALARMS

8 SECOND ALARMS, AS FOLLOWS:

- 1 FEB., STRAUSS TANNING CO.
- 2 APR., CENTER SCHOOL, AND STORAGE BARN, LALIME'S GARAGE.
- 1 MAY, LITTLE PALACE CAFE.
- 1 JUN., SKALIOTES BUILDING.
- 1 AUG., ELLIS GRAIN CO.
- 1 SEP., COYNE FIRE, LYNNFIELD ST.
- 1 NOV., MOTOR VEHICLE, ANDOVER PIKE.

CALLED OUT OF TOWN FOR MUTUAL AID:

- 3 BOX 31, DANVERS. BOX 31, DANVERS, AND TO WATER ST., DANVERS.

APRIL, DURING REPAIRS TO BRIDGE NEAR CREESE AND COOKS, DAN.

- 1 DEC., TO GANEM FOOD STORE IN SALEM.

CALLED IN OUTSIDE ASSISTANCE, MUTUAL AID:

- 1 APR., STORAGE BARN, LALIME'S GARAGE WITH DOLAN TANNING CO.
- 1 AUG., ELLIS GRAIN CO., WALNUT STREET.

9 BELL ALARMS ON WEST PEABODY SYSTEM.

51 PROTECTIVE COVERS SPREAD AT FIRES.

13 RESUSCITATOR CALLS DURING YEAR, JANUARY TO DECEMBER.

136 FIRES IN BUILDINGS.

7 SPREAD TO ADJOINING BUILDINGS.

1 SPREAD TO BEYOND ADJOINING BUILDINGS.

320 OTHER FIRES, GRASS, WOODS, CARS, DUMPS, AND ETC., RUBBISH.

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

224 EXTINGUISHERS USED, WATER, FOAM, ANSUL, ETC.

7 SPRINKLER OPERATIONS.

BOOSTERS USED ON 169 FIRES FOR A TOTAL OF 41 HOURS.

PUMPING ENGINES USED ON 12 FIRES FOR A TOTAL OF 12 HOURS.

168 1" LINES LAID, A TOTAL OF 14,850 FEET.

49 1½" LINES USED FOR A TOTAL OF 8750 FEET.

60 2½" LINES LAID, A TOTAL OF 21,860 FEET.

1819 FEET OF LADDERS USED.

293 PERMITS ISSUED FOR POWER OIL BURNERS.

120 PERMITS ISSUED FOR RANGE OIL BURNERS.

10 PERMITS FOR BAASTING ISSUED.

8 NEW FIRE ALARM BOXES INSTALLED DURING YEAR, AS FOLLOWS:

622	PROCTOR CIRCLE	AUGUST 28.
632	SUMMITT PARK	SEPTEMBER 17.
19	RAINBOW ROAD	SEPTEMBER 28.
115	VETERANS MEMORIAL DRIVE	OCTOBER 18.
119	BARTHOLOMEW TERRACE	NOVEMBER 2.
17	SOUTH MEMORIAL SCHOOL	NOVEMBER 30.
525	ST. THOMAS SCHOOL	DECEMBER 3.
541	ST. JOSEPH JUNIORATE.	DECEMBER 12.

A. C. F. Dym
 CHIEF OF DEPARTMENT.